

A division of Troy Sheet Metal Works, Inc. 1024 South Vail Avenue, Montebello, CA 90640 www.troyproducts.com 800 700-8769

Part No: CC-21TH-XXXX Vehicle: Chevrolet Tahoe

Description: Center Console Model year: 2021



Tools Required

3/32 allen key	9/16 socket
T15 security driver (included)	

Troy Products recommends reading through all installation instructions prior to installation to check for all necessary parts. The following instructions are for the 1008 console, which has a 10" sloped section and an 8" level section. These instructions are applicable for all other lengths of 2021 Tahoe consoles. Parts from oversized configurations are included in the bill of materials for reference. Note that these consoles are not compatible with civilian vehicle models without considerable modification to your vehicle.


I.) Preparation:

- 1.) Install floor plate (FM-21TH) using instructions included with floor plate.
- 2.) Remove 12V DC module by using 12V socket removal tool. If one is not present, insert a small flat blade screwdriver into recesses in socket, noted by arrow. Pull socket forward out of housing. Housing can be removed after socket is free.




II.) Install console:

3.) Insert four 3/8-16x0.75 carriage bolts and nuts, provided, into console housing (#hw) as shown, making sure to point screws upwards. Console cutaway is shown.




(5.)


4.) Place console onto floor plate, lining up round bolt heads with round cutouts in floor plate. Slide screws forward so that square shaft of screw aligns with both floor plate and console. Nut and round head of bolt will hold plate and console together. Leave screws loose. Console cutaway is shown transparent above floor plate for clarity.





5.) Attach front plates (#fpp, #fpd) to console housing using 3/32 hex driver and four #8-32x0.5 screws, provided. Note driver and passenger side profiles.




- 6.) Slide console forward until front panels make contact with vehicle dash. Tighten floor plate carriage bolts once console is in position.
- 7.) 7/8 holes are added on front panels for 12V DC outlets. If not used, plugs (875CAP) are provided to plug holes. (Panel is shown for reference and may not be identical to the panel you receive with your console)








11.) Microphone clip is included with plate for mounting on faceplate rails. Alternatively, clip can be mounted directly if holes are drilled into either side of console.



III.) Alternate configurations:

12.) Installation for wide body configurations is the same, but note differences in front panel shapes, shown in BOM.

Your installation is now complete. If you have any questions or suggestions for adding additional instructions, please call **Customer Service at (800) 700-8769.**



CC-21TH-XXXX

BILL OF MATERIALS

A. Parts

A. Parts				
Part #	Description	Qty.	Picture	
CC-21TH-1008-#hw	Housing weldment with faceplate rails	1		
CC-21TH-1008-#fpp	Passenger front plate, same for all standard width consoles	1		
CC-21TH-1008-#fpd	Driver front plate, same for all standard width consoles	1		
Oversize Front Panels		I		
CC-21TH-1008-OS-#fpd	Driver front plate for oversized consoles	1		
CC-21TH-1008-OS-#fpp	Passenger front plate for oversized consoles	1		
B. Hardware				
1-FST-35-39900	#8 KEPS nut and washer	2		

1-FST-06-60420	#8-32x0.5 BHCS	4	
1-FST-06-10417	#8-32x0.375	2	
1-FST-15-11220	3/8-16x0.75 carriage bolt	4	
1-FST-41-61200	3/8-16 FLANGED NUT	4	
AC-CC-875CAP	7/8 Plastic Dome Cap	1	
1-FST-05-330305	#8x0.5 sheet metal security torx screw	25	
AC-DUALUSB	USB PORT	1	